


Model: GUCE51

USB Extender for USB 1.0 and 1.1

Extend USB up to 198 ft via Cat5, Cat5e or Cat6 RJ45 cabling

Functions

The GUCE51 comprises two units, Local and Remote. These units are interconnected with Cat5, Cat5e, or Cat6 cabling. Now you can extend peripherals to locations up to 198 feet away without any signal loss.



Description

The GUCE51 comprises two units, Local and Remote. These units are interconnected with Cat5, Cat5e, or Cat6 cabling. Now you can extend USB peripherals to locations up to 198 feet away.

Features

- Use Cat5, Cat5e, or Cat6 RJ45 cabling to extend your USB peripherals up to 198 feet away
- Transparent data extension
- Extremely easy to install
- Compact design, allows for easy placement
- Fully compliant with (1.0, 1.1) USB standards
- For use with any USB compatible computer
- No software required

Specifications

- | | |
|---------------------------|---|
| • USB Specification | USB 1.0, 1.1 compliant |
| • Humidity | 20-80% RH, (Non Condensing) |
| • USB bandwidth | 12 Mbps (1.5Mbps) |
| • Operating Temperature | 20° to 50° (Celsius) |
| • Storage Temperature | 0° to 70° (Celsius) |
| • OS Support | Win 98, 98SE, 2000, ME, XP, MAC OS 8.6 or greater |
| • Unit Dimensions | 1.9 x 1.3 x .9 in (4.9 x 3.3 x 2.3 cm) |
| • Local Unit cable length | 18 in (45 cm) |
| • Package Dimensions | 2.5 x 6 x 4.8 in (6.4 x 15.2 x 12.2 cm) |
| • Pack Weight | 0.4 lbs (0.181 kg) |
| • Unit Weight | 0.3 lbs (0.135 kg) |
| • Housing | Plastic |
| • Power | 300ma @ 5.0V (powered from USB Host port) |

Packing List

- 1 - GUCE51 Remote Unit
- 1 - GUCE51 Local Unit
- 1 - Quick Start Guide
- 1 - Warranty/Registration Card

B&B electronics
MANUFACTURING COMPANY

International Headquarters: 707 Dayton Road PO Box 1040 Ottawa, IL 61350 USA
815-433-5100 Fax 433-5104 www.bb-elec.com orders@bb-elec.com support@bb-elec.com

European Headquarters: Westlink Commercial Park Oranmore Co. Galway Ireland
+353 91 792444 Fax +353 91 792445 www.bb-europe.com orders@bb-europe.com support@bb-europe.com